





The system of tables was displayed for the first time at Milan Salone del Mobile 2016 and is based on the same idea: aluminum profiles standing on die-cast aluminum legs in 2 versions — a corner leg at the end of the system and a linking leg between the single modules. This makes the table perfect for the foodservice as well as for working environments, common areas and, in general, any high-frequency places. ADD-T is 74 cm high and is available with top in Fenix HPL, white lacquered wood or blanched oak, square, rectangular or in unusual shapes resulting from the connection of two tops with a 45° corner element.












Modular system of tables with frame in aluminium extrusion, die-cast corner legs and linking legs which allows several configurations. Top in white HPL Fenix®, white lacquered or blanched oak. All metal components are powder coated.



use and maintenance instructions

Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately. When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users. Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range. Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 45°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.